

TITANIUM FORCEPS

LEGACY Round Handle Forceps

Platform Ring Tips	3.2
Platform DIAMOND DUST™ Tips	3.2
DeBakey Tips	3.3
1x2 Teeth	3.4

LEGACY SCAN-II® Handle Forceps

Platform Ring Tips	3.5
Platform DIAMOND DUST™ Tips	3.5
DeBakey Tips	3.6
1x2 Teeth	3.7

LEGACY Bayonet Style Forceps

Round Handle	3.8
SCAN-II® Handle	3.8

Round Handle Forceps

Ring Tips	3.9
DIAMOND DUST™ Tips	3.10
DeBakey Micro	3.13

Flat Handle Forceps

Platform Ring Tips	3.14
DIAMOND DUST™ Tips	3.15
DeBakey Tips	3.16
1X2 Teeth	3.18

STAINLESS STEEL

Round Handle

Ring Tips	3.21
Platform DIAMOND DUST™ Tips	3.23
DIAMOND DUST™ Tips	3.26
DeBakey Tips	3.27
1x2 Teeth	3.28
Needle Pulling Tissue Forceps	3.28

Flat Handle

Gerald Ring Tips	3.29
Gerald DIAMOND DUST™ Tips	3.29
Gilles Forceps	3.30
Jewelers Forceps	3.31
DeBakey Tips	3.32
Gerald Serrated Tips	3.33
1x2 Teeth	3.34
Serrated Tips	3.35
Brophy Tissue Forceps	3.36
Suction Forceps	3.36
Resano Valve Forceps	3.37
Cushing Forceps	3.38
Needle Pulling Tissue Forceps	3.38
Bayonet Style	3.39



Forceps Modifications

FORCEPS

Modification	Description
904	Angle jaws/tips
904A	Angle and cut down jaws/tips
905	Cut down jaws/tips
905E	Cut down jaws/tips 0.4 mm
905TC	Cut down carbon-inlay jaws/tip
915	Gold plating
921	Grasping modification
923	Satin finish instrument
924	Tension modification
929	Special etching
971	Lengthen instrument
973	Shorten instrument



4004-79



4004-79 with modifications 971



3003-05



4004-97



3003-05 with modifications 904



4004-97 with modifications 904



4004-84



4004-84 with modifications 905

Please Note...

Each Scanlan instrument is individually handcrafted to provide the surgeon with the highest quality, longest-lasting, precision instrument possible. Reflecting this unique process, all stated dimensions are approximate.




Features of *LEGACY* Titanium Forceps

Titanium FORCEPS

Unique 10 mm Diameter and Extended Knurling

- Provides the titanium instruments with the optimized weight and balance.
- The extended knurling provides more surface area for the surgeon to grasp the instrument.



Perfect-Pyramid™
Provides a secure grasp.

Non-Magnetic

The properties of titanium prevent the needles from clinging to the instrument.



Never Shear™ Dual Guide™

- Prevents the tips from scissoring
- Prevents tissue from shearing



SCAN-II® Handle

Revolutionary design that features a flat surface for control with round knurled sides for a secured grip and the ability to roll the instrument during procedures.



Round Handle

The original 10 mm round design provides the surgeon with a secure grip and the ability to roll the instrument during procedures.

Diamond-Dust™

Securely and delicately grips the needles to prevent slippage and any damage to the needle.

Dual Guide™ Patent No. 8,147,512

The Never Shear™ Dual Guide™ design was developed in cooperation with John D. Puskas, MD

Patent Pending SCAN-II® Handle Design



Platform Ring Tips | LEGACY | Round Handle

Titanium FORCEPS

3003-922

Instrument is shown approximate size



SCANLAN®

LEGACY Micro Forceps

Round Handle | Never Shear™ Dual Guide™ | 10 mm, Extended Knurling

Tip (enlarged to show detail)	Cat. No.	Description	Total Length
	3003-922	1.0 mm Straight DIAMOND DUST™ Platform Ring Tips	7 1/8" (18.1 cm)
	3003-924		8 1/4" (21 cm)
	3003-926		9" (23 cm)
	3003-928		10" (25.4 cm)

SCANLAN®

Platform DIAMOND DUST® Tips | LEGACY | Round Handle


3003-914



SCANLAN®

LEGACY Micro Forceps

Round Handle | Never Shear™ Dual Guide™ | 10 mm Diameter, Extended Knurling

Tip (enlarged to show detail)	Cat. No. 0.5 mm Tips	Cat. No. 1.0 mm Tips	Description	Total Length
	3003-902	3003-912	Straight DIAMOND DUST™ Platform Tips	7 1/8" (18.1 cm)
	3003-904	3003-914		8 1/4" (21 cm)
	3003-906	3003-916		9" (23 cm)
	3003-908	3003-918		10" (25.4 cm)

Please Note...

Each Scanlan instrument is individually handcrafted to provide the surgeon with the highest quality, longest-lasting, precision instrument possible. Reflecting this unique process, all stated dimensions are approximate.

Tapered DeBakey Tips | LEGACY | Round Handle


3003-934



Titanium FORCEPS

SCANLAN®
LEGACY Micro Forceps

Round Handle | Never Shear™ Dual Guide™ | 10 mm Diameter, Extended Knurling

Tip (enlarged to show detail)	Cat. No.	Description	Total Length
	3003-932	1.0 mm Straight Tapered DeBakey Tips	7 1/8" (18.1 cm)
	3003-934		8 1/4" (21 cm)
	3003-936		9" (23 cm)
	3003-938		10" (25.4 cm)

Please check with your Scanlan Representative for Firm Sale status. Custom modifications available upon request.
For a complete listing of models visit... www.scanlaninternational.com







Titanium FORCEPS



SCANLAN®

LEGACY Micro Forceps

Round Handle | Never Shear™ Dual Guide™ | 10 mm Diameter, Extended Knurling

Tip (enlarged to show detail)	Cat. No. 0.5 mm Tips	Cat. No. 1.0 mm Tips	Description	Total Length
 <p>Platform Tip 1x2 Micro Teeth</p>	3003-770		Puskas™ Straight DIAMOND DUST™ Platform Tips	7 1/8" (18.1 cm)
	3003-774	3003-778	1 x 2 Micro Teeth	8 1/4" (21 cm)
	3003-775		Puskas™ Curved DIAMOND DUST™ Platform Tips 1 x 2 Micro Teeth	8 1/4" (21 cm)
	3003-776	3003-779	Puskas™ Angled DIAMOND DUST™ Platform Tips 1 x 2 Micro Teeth	8 1/4" (21 cm)
	3003-780	3003-784	Straight DIAMOND DUST™ Platform Tips 1 x 2 Micro Teeth	9" (23 cm)
	3003-782	3003-786		10" (25.4 cm)

Please Note...

Each Scanlan instrument is individually handcrafted to provide the surgeon with the highest quality, longest-lasting, precision instrument possible. Reflecting this unique process, all stated dimensions are approximate.

Platform Ring Tips | LEGACY | SCAN-II® Handle

3003-942

Instrument is shown approximate size




Titanium FORCEPS

SCANLAN®

LEGACY Micro Forceps

SCAN-II® Handle | Never Shear™ Dual Guide™ | 10 mm, Extended Knurling

Tip (enlarged to show detail)	Cat. No.	Description	Total Length
	NEW 3003-942	1.0 mm Straight DIAMOND DUST™ Platform Ring Tips	7 1/8" (18.1 cm)
	NEW 3003-944		8 1/4" (21 cm)
	NEW 3003-946		9" (23 cm)
	NEW 3003-948		10" (25.4 cm)

SCANLAN®

Platform DIAMOND DUST® Tips | LEGACY | SCAN-II® Handle


3003-974



SCANLAN®

LEGACY Micro Forceps

SCAN-II® Handle | Never Shear™ Dual Guide™ | 10 mm Diameter, Extended Knurling

Tip (enlarged to show detail)	Cat. No. 0.5 mm Tips	Cat. No. 1.0 mm Tips	Description	Total Length
	NEW 3003-962	NEW 3003-972	Straight DIAMOND DUST™ Platform Tips	7 1/8" (18.1 cm)
	NEW 3003-964	NEW 3003-974		8 1/4" (21 cm)
	NEW 3003-966	NEW 3003-976		9" (23 cm)
	NEW 3003-968	NEW 3003-978		10" (25.4 cm)

Please check with your Scanlan Representative for Firm Sale status. Custom modifications available upon request.

For a complete listing of models visit... www.scanlaninternational.com



3003-952

Instrument is shown approximate size




SCANLAN®

LEGACY Micro Forceps

SCAN-II® Handle | Never Shear™ Dual Guide™ | 10 mm, Extended Knurling

Tip

(enlarged to show detail)

Tip	Cat. No.	Description	Total Length
	NEW 3003-952	1.0 mm Straight Tapered DeBakey Tips	7 1/8" (18.1 cm)
	NEW 3003-954		8 1/4" (21 cm)
	NEW 3003-956		9" (23 cm)
	NEW 3003-958		10" (25.4 cm)

Please Note...

Each Scanlan instrument is individually handcrafted to provide the surgeon with the highest quality, longest-lasting, precision instrument possible. Reflecting this unique process, all stated dimensions are approximate.

Platform Tip, 1x2 Teeth | LEGACY | SCAN-II® Handle





3003-984



SCANLAN®

LEGACY Micro Forceps

SCAN-II® Handle | Never Shear™ Dual Guide™ | 10 mm Diameter, Extended Knurling

Tip (enlarged to show detail)	Cat. No. 0.5 mm Tips	Cat. No. 1.0 mm Tips	Description	Total Length
	NEW 3003-980		Puskas™ Straight DIAMOND DUST™ Platform Tips	7 1/8" (18.1 cm)
	NEW 3003-984	NEW 3003-988	1 x 2 Micro Teeth	8 1/4" (21 cm)
	NEW 3003-985		Puskas™ Curved DIAMOND DUST™ Platform Tips	8 1/4" (21 cm)
	NEW 3003-986	NEW 3003-989	Puskas™ Angled DIAMOND DUST™ Platform Tips	8 1/4" (21 cm)
	NEW 3003-990	NEW 3003-994	Straight DIAMOND DUST™ Platform Tips	9" (23 cm)
	NEW 3003-992	NEW 3003-996		1 x 2 Micro Teeth

Titanium FORCEPS

Please check with your Scanlan Representative for Firm Sale status. Custom modifications available upon request.

For a complete listing of models visit... www.scanlaninternational.com

Bayonet Style | LEGACY | Round Handle

Titanium FORCEPS





3003-810



SCANLAN®

LEGACY Micro Forceps

Round Handle | Never Shear™ Dual Guide™ | Bayonet Style | 10 mm Diameter, Extended Knurling

Tip (enlarged to show detail)	Cat. No. 0.5 mm Tips	Cat. No. 1.0 mm Tips	Description	Total Length
		3003-804	Straight DIAMOND DUST™ Platform Ring Tips	8 3/4" (22 cm)
	3003-816	3003-818	Straight DIAMOND DUST™ Platform Tips	
		3003-806	Straight Tapered DeBakey Tips	
	3003-810		Puskas™ Straight DIAMOND DUST™ Tips 1 x 2 Micro Teeth	

SCANLAN®

Bayonet Style | LEGACY | SCAN-II® Handle


3003-820



SCANLAN®

LEGACY Micro Forceps

SCAN-II® Handle | Never Shear™ Dual Guide™ | Bayonet Style | 10 mm Diameter, Extended Knurling

Tip (enlarged to show detail)	Cat. No. 0.5 mm Tips	Description	Total Length
	NEW 3003-820	Puskas™ Straight DIAMOND DUST™ Tips 1 x 2 Micro Teeth	8 3/4" (22 cm)

Please Note...

Each Scanlan instrument is individually handcrafted to provide the surgeon with the highest quality, longest-lasting, precision instrument possible. Reflecting this unique process, all stated dimensions are approximate.

Micro Platform Ring Tips | Titanium

3003-160



Titanium FORCEPS

SCANLAN®
Micro Forceps
 Round Handle

Tip (enlarged to show detail)	Cat. No.	Description	Total Length
	3003-164	1 mm Straight DIAMOND DUST™ Ring Tips	6" (15 cm)
	3003-166	2 mm Straight DIAMOND DUST™ Ring Tips	
	3003-160	1 mm Straight DIAMOND DUST™ Ring Tips	7 1/4" (18.5 cm)
	3003-162	2 mm Straight DIAMOND DUST™ Ring Tips	

3003-720

Instrument is shown approximate size



SCANLAN®
Dennis Micro Forceps
 Round Handle | Counterbalanced

Tip (enlarged to show detail)	Cat. No.	Description	Total Length
	3003-720	1 mm Straight DIAMOND DUST™ Ring Tips	7" (18 cm)
	3003-724		8 1/4" (21 cm)
	3003-726		9" (23 cm)
	3003-728		10" (25.4 cm)

Please check with your Scanlan Representative for Firm Sale status. Custom modifications available upon request.
 For a complete listing of models visit... www.scanlaninternational.com



3303-452

Instrument is shown approximate size



SCANLAN®
Super-Micro Fine
 Round Handle

Tip (enlarged to show detail)	Cat. No.	Description	Total Length
	NEW 3303-452	Angled 0.3 mm DIAMOND DUST™ Tips	5" (12.7 cm)
	NEW 3303-470	Straight 0.3 mm DIAMOND DUST™ Tips	7 1/4" (18.5 cm)
	NEW 3303-472	Curved 0.3 mm DIAMOND DUST™ Tips	

Please Note...

Each Scanlan instrument is individually handcrafted to provide the surgeon with the highest quality, longest-lasting, precision instrument possible. Reflecting this unique process, all stated dimensions are approximate.

Micro Platform DIAMOND DUST™ Tips | Round Handle

3003-154
Instrument is shown approximate size

Titanium FORCEPS



SCANLAN®
Micro Suture Tying Forceps
Round Handle

Tip (enlarged to show detail)	Cat. No.	Description	Total Length
	3003-150	Straight DIAMOND DUST™ Platform Tips	4 3/4" (12 cm)
	3003-152	Curved DIAMOND DUST™ Platform Tips	
	3003-154	Straight DIAMOND DUST™ Platform Tips	6" (15 cm)
	3003-154-3	0.3 mm Straight DIAMOND DUST™ Platform Tips Gerald Type Taper	
	3003-154-4	0.4 mm Straight DIAMOND DUST™ Platform Tips	
	3003-156	Curved DIAMOND DUST™ Platform Tips	
	3003-156-3	0.3 mm Curved DIAMOND DUST™ Platform Tips Gerald Type Taper	
	3003-156-4	0.4 mm Curved DIAMOND DUST™ Platform Tips	

Please check with your Scanlan Representative for Firm Sale status. Custom modifications available upon request.
For a complete listing of models visit... www.scanlaninternational.com





SCANLAN®
Micro Forceps
Round Handle

Tip (enlarged to show detail)	Cat. No.	Description	Total Length
	3003-158	Straight DIAMOND DUST™ Platform Tips	7 1/4" (18.5 cm)
	3003-158-3	0.3 mm Straight DIAMOND DUST™ Platform Tips Gerald Type Taper	
	3003-158-4	0.4 mm Straight DIAMOND DUST™ Platform Tips	
	3003-159	Curved DIAMOND DUST™ Platform Tips	
	3003-159-3	0.3 mm Curved DIAMOND DUST™ Platform Tips Gerald Type Taper	
	3003-159-4	0.4 mm Curved DIAMOND DUST™ Platform Tips	
	3003-158-8	Straight DIAMOND DUST™ Platform Tips	8 1/4" (21 cm)
	3003-159-8	Curved DIAMOND DUST™ Platform Tips	
	3003-158-9	Straight DIAMOND DUST™ Platform Tips	9" (23 cm)
	3003-158-10	Straight DIAMOND DUST™ Platform Tips	10" (25.4 cm)
	3003-159-10	Curved DIAMOND DUST™ Platform Tips	

Please Note...

Each Scanlan instrument is individually handcrafted to provide the surgeon with the highest quality, longest-lasting, precision instrument possible. Reflecting this unique process, all stated dimensions are approximate.

Micro Platform DIAMOND DUST™ Tips | Round Handle





3003-712

Titanium FORCEPS



SCANLAN®
Dennis Micro Forceps

Round Handle | Counterbalanced

Tip (enlarged to show detail)	Cat. No.	Description	Total Length
	3003-710	Straight DIAMOND DUST™™ Platform Tips	7" (18 cm)
	3003-712	Curved DIAMOND DUST™ Platform Tips	
	3003-714	Straight DIAMOND DUST™ Platform Tips	8 1/4" (21 cm)
	3003-716	Curved DIAMOND DUST™ Platform Tips	

Micro DeBakey Tips | Round Handle

3003-730



SCANLAN®
DeBakey Micro Forceps

Round Handle

Tip (enlarged to show detail)	Cat. No.	Description	Total Length
	3003-730	1 mm Straight DeBakey Tips	7 1/8" (18.1 cm)

Please check with your Scanlan Representative for Firm Sale status. Custom modifications available upon request.
 For a complete listing of models visit... www.scanlaninternational.com




3003-750

Instrument is shown approximate size



SCANLAN®
Gerald Forceps
 Flat Handle

Tip (enlarged to show detail)	Cat. No.	Description	Total Length
	3003-750	1 mm Straight DIAMOND DUST™ Platform Ring Tips	7" (18 cm)
	3003-752		8" (20 cm)

Please Note...

Each Scanlan instrument is individually handcrafted to provide the surgeon with the highest quality, longest-lasting, precision instrument possible. Reflecting this unique process, all stated dimensions are approximate.

Super-Micro Fine DIAMOND DUST™ Tips | Flat Handle

3303-410
Instrument is shown approximate size




Titanium FORCEPS

SCANLAN®
Super-Micro Fine
Flat Handle

Tip (enlarged to show detail)	Cat. No.	Description	Total Length
	NEW 3303-410	Straight 0.3 mm DIAMOND DUST™ Tips	5" (12.7 cm)
	NEW 3303-430	Straight 0.3 mm DIAMOND DUST™ Tips	7 1/4" (18.5 cm)
	NEW 3303-434	Angled 0.3 mm DIAMOND DUST™ Tips	

Gerald Platform DIAMOND DUST™ Tips | Flat Handle

3003-760
Instrument is shown approximate size



SCANLAN®
Gerald Forceps
Flat Handle

Tip (enlarged to show detail)	Cat. No.	Description	Total Length
	3003-760	Straight DIAMOND DUST™ Platform Tips	7" (18 cm)
	3003-762		8" (20 cm)

Please check with your Scanlan Representative for Firm Sale status. Custom modifications available upon request.
For a complete listing of models visit... www.scanlaninternational.com



Gerald DeBakey Tips | Titanium

Titanium FORCEPS

3003-740

Instrument is shown approximate size



SCANLAN®
Gerald DeBakey Forceps
 Flat Handle

Tip (enlarged to show detail)	Cat. No.	Description	Total Length
	3003-740	1 mm Straight DeBakey Tips	7" (18 cm)
	3003-742		8" (20 cm)

DeBakey Tips | Titanium

3003-051



SCANLAN®
DeBakey Dissecting Forceps
 Flat Handle

Tip (enlarged to show detail)	Cat. No.	Description	Total Length
	NEW 3003-051	1.2 mm Straight DeBakey, 1 x 2 Micro Teeth	7 3/4" (19.5 cm)
	NEW 3003-071		9 1/2" (24 cm)

Please Note...

Each Scanlan instrument is individually handcrafted to provide the surgeon with the highest quality, longest-lasting, precision instrument possible. Reflecting this unique process, all stated dimensions are approximate.

3003-02

Instrument is shown approximate size





SCANLAN®

DeBakey Dissecting Forceps

Flat Handle

Tip

(enlarged to show detail)

	Cat. No.	Description	Total Length
	3003-03	1 mm Straight DeBakey Tips	6" (15 cm)
	3003-05		7 3/4" (19.5 cm)
	3003-07		9 1/2" (24 cm)
	3003-02	2 mm Straight DeBakey Tips	6" (15 cm)
	3003-04		7 3/4" (19.5 cm)
	3003-06		9 1/2" (24 cm)

Please check with your Scanlan Representative for Firm Sale status. Custom modifications available upon request.

For a complete listing of models visit... www.scanlaninternational.com



Cushing | Titanium

Titanium FORCEPS

3003-09

Instrument is shown approximate size



SCANLAN®
Cushing Forceps
Flat Handle

Tip (enlarged to show detail)	Cat. No.	Description	Total Length
	3003-09	1 mm Straight Serrated Tips Fluted Handle	7" (18 cm)

SCANLAN®

Gerald 1x2 Micro Teeth | Titanium

3003-738

Instrument is shown approximate size



SCANLAN®
Gerald Forceps
Flat Handle

Tip (enlarged to show detail)	Cat. No.	Description	Total Length
	3003-738	Straight Delicate 1 x 2 Fine Teeth	7" (18 cm)

SCANLAN®

Resano Valve | Titanium

3003-794



SCANLAN®
Resano Valve Forceps
Flat Handle

Tip (enlarged to show detail)	Cat. No.	Description	Total Length
	3003-794	Multi-Toothed Tip	9" (23 cm)



3003-823

Titanium FORCEPS



SCANLAN®
Tumor Grasping Forceps

Flat Handle

Tip (enlarged to show detail)	Cat. No.	Description	Total Length
	3003-823	3 mm Concave Serrated Tips	8 3/4" (22 cm)
	3003-825	5 mm Concave Serrated Tips	

3003-832



SCANLAN®
Micro Forceps

Flat Handle

Tip (enlarged to show detail)	Cat. No.	Description	Total Length
	3003-832	0.7 mm Straight Tips 1 x 2 Fine Teeth	8 3/4" (22 cm)

Please Note...
Each Scanlan instrument is individually handcrafted to provide the surgeon with the highest quality, longest-lasting, precision instrument possible. Reflecting this unique process, all stated dimensions are approximate.

Please check with your Scanlan Representative for Firm Sale status. Custom modifications available upon request.
For a complete listing of models visit... www.scanlaninternational.com



3003-841



SCANLAN®
Micro Forceps
 Flat Handle

Tip (enlarged to show detail)	Cat. No.	Description	Total Length
	3003-840	0.3 mm Curved Up DIAMOND DUST™ Tips	8 3/4" (22 cm)
	3003-841	0.3 mm 45° Angle DIAMOND DUST™ Tips	
	3003-842	0.3 mm Straight DIAMOND DUST™ Tips	
	3003-843	0.3 mm Straight Smooth Tips	
	3003-846	0.7 mm Straight DIAMOND DUST™ Tips	
	3003-847	0.7 mm Straight Smooth Tips	

3003-850



SCANLAN®
Micro Forceps
 Flat Handle


Tip (enlarged to show detail)	Cat. No.	Description	Total Length
	3003-850	1 mm Straight Smooth Ring Tips	8 3/4" (22 cm)
	3003-851	1 mm Straight DIAMOND DUST™ Ring Tips	

Please Note...

Each Scanlan instrument is individually handcrafted to provide the surgeon with the highest quality, longest-lasting, precision instrument possible. Reflecting this unique process, all stated dimensions are approximate.












Micro Ring Tips | Round Handle

4004-220



Stainless Steel FORCEPS

SCANLAN®
Dennis Micro Forceps
 Round Handle | Counterbalanced

Tip (enlarged to show detail)	Cat. No.	Description	Total Length
	4004-216	1 mm Straight DIAMOND DUST™ Ring Tips	6" (15 cm)
	4004-217	1 mm Curved DIAMOND DUST™ Ring Tips	
	4004-320	2 mm Straight DIAMOND DUST™ Ring Tips	7" (18 cm)
	4004-330	2.5 mm Straight DIAMOND DUST™ Ring Tips	
	4004-220	1 mm Straight DIAMOND DUST™ Ring Tips	7 1/4" (18.5 cm)
	4004-221	1 mm Curved DIAMOND DUST™ Ring Tips	
	4004-224	1 mm Straight DIAMOND DUST™ Ring Tips	8 1/4" (21 cm)
	4004-225	1 mm Curved DIAMOND DUST™ Ring Tips	
	4004-226	1 mm Straight DIAMOND DUST™ Ring Tips	9" (23 cm)
	4004-227	1 mm Curved DIAMOND DUST™ Ring Tips	
	4004-228	1 mm Straight DIAMOND DUST™ Ring Tips	10" (25.4 cm)

Please check with your Scanlan Representative for Firm Sale status. Custom modifications available upon request.
 For a complete listing of models visit... www.scanlaninternational.com



Stainless Steel FORCEPS

4004-280



SCANLAN®
Micro Forceps
 Round Handle | Lightweight

Tip (enlarged to show detail)	Cat. No.	Description	Total Length
	4004-280	1 mm Straight DIAMOND DUST™ Platform Ring Tips	7 1/8" (18.1 cm)
	4004-282		8 1/4" (21 cm)

4004-250



SCANLAN®
Micro Forceps
 Round Handle | Lightweight

Tip (enlarged to show detail)	Cat. No.	Description	Total Length
	4004-250	1 mm Straight DIAMOND DUST™ Ring Tips	7 1/8" (18.1 cm)
	4004-251	1 mm Curved DIAMOND DUST™ Ring Tips	
	4004-254	2.5 mm Straight DIAMOND DUST™ Ring Tips	
	4004-252	1 mm Straight DIAMOND DUST™ Ring Tips	8 1/4" (21 cm)
	4004-253	1 mm Curved DIAMOND DUST™ Ring Tips	
	4004-256	2.5 mm Straight DIAMOND DUST™ Ring Tips	

Small Plastic Platform DIAMOND DUST™ Tips | Round Handle

4004-02
Instrument is shown approximate size



Stainless Steel FORCEPS

SCANLAN®
Suture Tying Forceps
Round Handle

Tip (enlarged to show detail)	Cat. No.	Description	Total Length
	4004-01	Straight DIAMOND DUST™ Platform Tips	4 3/4" (12 cm)
	4004-02	Curved DIAMOND DUST™ Platform Tips	4 3/4" (12 cm)
	4004-03	Straight DIAMOND DUST™ Platform Tips	5 1/2" (14 cm)
	4004-04	Curved DIAMOND DUST™ Platform Tips	5 1/2" (14 cm)
	4004-03-3A	45° Angled 0.3 mm DIAMOND DUST™ Tips	5 1/2" (14 cm)

Please Note...
Each Scanlan instrument is individually handcrafted to provide the surgeon with the highest quality, longest-lasting, precision instrument possible. Reflecting this unique process, all stated dimensions are approximate.

Please check with your Scanlan Representative for Firm Sale status. Custom modifications available upon request.
For a complete listing of models visit... www.scanlaninternational.com



Stainless Steel FORCEPS



SCANLAN®
Micro Forceps
 Round Handle | Lightweight


Tip (enlarged to show detail)	Cat. No.	Description	Total Length
	4004-260	Straight DIAMOND DUST™ Platform Tips	7 1/8" (18.1 cm)
	4004-261	Curved DIAMOND DUST™ Platform Tips	
	4004-262	Straight DIAMOND DUST™ Platform Tips	8 1/4" (21 cm)
	4004-263	Curved DIAMOND DUST™ Platform Tips	

Please Note...
 Each Scanlan instrument is individually handcrafted to provide the surgeon with the highest quality, longest-lasting, precision instrument possible. Reflecting this unique process, all stated dimensions are approximate.

Micro Platform DIAMOND DUST™ Tips | Round Handle

4004-95
Instrument is shown approximate size

Stainless Steel FORCEPS



SCANLAN®
Dennis Micro Forceps
Round Handle | Counterbalanced

Tip (enlarged to show detail)	Cat. No.	Description	Total Length
	4004-210	Straight DIAMOND DUST™ Platform Tips	6" (15 cm)
	4004-212	Curved DIAMOND DUST™ Platform Tips	
	4004-95	Straight DIAMOND DUST™ Platform Tips	7" (18 cm)
	4004-96	Curved DIAMOND DUST™ Platform Tips	
	4004-98	Straight DIAMOND DUST™ Platform Tips	8 1/4" (21 cm)
	4004-99	Curved DIAMOND DUST™ Platform Tips	
	4004-204	Straight DIAMOND DUST™ Platform Tips	10" (25.4 cm)
	4004-206	Curved DIAMOND DUST™ Platform Tips	

Please check with your Scanlan Representative for Firm Sale status. Custom modifications available upon request.
For a complete listing of models visit... www.scanlaninternational.com



Stainless Steel FORCEPS



SCANLAN®
Micro Forceps
 Round Handle | Lightweight

Tip (enlarged to show detail)	Cat. No.	Description	Total Length
	4004-97	Straight DIAMOND DUST™ Tips	7 1/8" (18.1 cm)
	4004-97A	Curved DIAMOND DUST™ Tips	7 1/8" (18.1 cm)
	4004-97-3A	0.3 mm 45° Angled DIAMOND DUST™ Tips	7 1/4" (18.5 cm)

Please Note...

Each Scanlan instrument is individually handcrafted to provide the surgeon with the highest quality, longest-lasting, precision instrument possible. Reflecting this unique process, all stated dimensions are approximate.

Dennis Micro DeBakey Tips | Round Handle

4004-272




SCANLAN®
Dennis Micro Forceps
 Round Handle | Counterbalanced

Tip (enlarged to show detail)	Cat. No.	Description	Total Length
	4004-270	1 mm Straight DeBakey Tips	7" (18 cm)
	4004-272		8 1/4" (21 cm)

Stainless Steel FORCEPS

DeBakey Tips | Round Handle

4004-232



SCANLAN®
Micro Forceps
 Round Handle | Lightweight

Tip (enlarged to show detail)	Cat. No.	Description	Total Length
	4004-230	1 mm Straight DeBakey Tips	7 1/8" (18.1 cm)
	4004-232		8 1/4" (21 cm)

Please check with your Scanlan Representative for Firm Sale status. Custom modifications available upon request.
 For a complete listing of models visit... www.scanlaninternational.com



Micro 1x2 Tips | Round Handle

Stainless Steel FORCEPS

4004-235



SCANLAN®

Dennis Micro Forceps


Round Handle | Counterbalanced

Tip (enlarged to show detail)	Cat. No.	Description	Total Length
	4004-305	Straight DIAMOND DUST™ Tips 1 x 2 Teeth	7" (18 cm)
	4004-235		7 1/8" (18.1 cm)

SCANLAN®

Needle Pulling Tissue Forceps | Round Handle

4004-268



SCANLAN®

DeBakey Needle Pulling Tissue Forceps

Round Handle (Gold Handle) | Lightweight

Tip (enlarged to show detail)	Cat. No.	Description	Total Length
	4004-266	2 mm Straight Carbon-Inlay with DeBakey Tips	7 1/4" (18.5 cm)
	4004-268	1 mm Straight Fine Carbon-Inlay with DeBakey Tips	7 1/4" (18.5 cm)
	4004-269		8 1/4" (21 cm)

Please Note...

Each Scanlan instrument is individually handcrafted to provide the surgeon with the highest quality, longest-lasting, precision instrument possible. Reflecting this unique process, all stated dimensions are approximate.


Please check with your Scanlan Representative for Firm Sale status. Custom modifications available upon request.

For a complete listing of models visit... www.scanlaninternational.com

Gerald Ring Tips | Flat Handle

4004-244

Instrument is shown approximate size



4004-350



Stainless Steel FORCEPS

SCANLAN® Gerald Forceps Flat Handle




Tip (enlarged to show detail)	Cat. No.	Description	Total Length
	4004-244	1 mm Straight DIAMOND DUST™ Ring Tips	7" (18 cm)
	4004-245	1 mm Curved DIAMOND DUST™ Ring Tips	7" (18 cm)
	4004-350	1 mm Straight DIAMOND DUST™ Platform Ring Tips Without Guide Pin	8 1/4" (21 cm)

Gerald DIAMOND DUST™ Tips | Flat Handle

4004-248



SCANLAN® Gerald Forceps Flat Handle

Tip (enlarged to show detail)	Cat. No.	Description	Total Length
	4004-246	1 mm Straight DIAMOND DUST™ Tips	7" (18 cm)
	4004-346	1 mm Straight DIAMOND DUST™ Platform Tips	7" (18 cm)
	4004-248	1 mm Straight DIAMOND DUST™ Tips	8" (20 cm)





Gerald DIAMOND DUST™ Tips | Flat Handle

4004-88

Stainless Steel FORCEPS



SCANLAN®
Thumb Forceps
Flat Handle


Tip (enlarged to show detail)	Cat. No.	Description	Total Length
	4004-80	1 mm Straight DIAMOND DUST™ Tips	6 1/4" (16 cm)
	4004-84	1 mm Straight DIAMOND DUST™ Tips	7 1/8" (18.8 cm)
	4004-86	2 mm Straight DIAMOND DUST™ Tips	
	4004-88	1 mm Straight DIAMOND DUST™ Tips	8" (20 cm)
	4004-90	2 mm Straight DIAMOND DUST™ Tips	
	4004-92	1 mm Straight DIAMOND DUST™ Tips	9 3/4" (24.8 cm)
	4004-94	2 mm Straight DIAMOND DUST™ Tips	

Gilles Forceps DIAMOND DUST™ Tips | Flat Handle

4004-65



SCANLAN®
Gilles Forceps
Flat Handle

Tip (enlarged to show detail)	Cat. No.	Description	Total Length
	4004-65	1 mm Straight DIAMOND DUST™ Tips	8" (20 cm)

Small Plastic DIAMOND DUST™ Tips | Flat Handle

4004-19

Instrument is shown approximate size



Stainless Steel FORCEPS

SCANLAN®
Jewelers Forceps
 Sharp Flat Tips | Flat Handle

Tip (enlarged to show detail)	Cat. No.	Description	Total Length
	4004-05	Straight Smooth Tips	4 1/4" (11 cm)
	4004-07	Straight DIAMOND DUST™ Tips	4 1/4" (11 cm)
	4004-17	Straight Smooth Tips	5 1/8" (13 cm)
	4004-19	Straight DIAMOND DUST™ Tips	5 1/8" (13 cm)
	4004-23	45° Angled DIAMOND DUST™ Tips	5 1/8" (13 cm)

Please Note...
 Each Scanlan instrument is individually handcrafted to provide the surgeon with the highest quality, longest-lasting, precision instrument possible. Reflecting this unique process, all stated dimensions are approximate.

Please check with your Scanlan Representative for Firm Sale status. Custom modifications available upon request.
 For a complete listing of models visit... www.scanlaninternational.com



Stainless Steel FORCEPS

4004-43



4004-44



SCANLAN®
DeBakey Forceps
Flat Handle

Tip (enlarged to show detail)	Cat. No.	Description	Total Length
	4004-40	1 mm Straight DeBakey Tips	6" (15 cm)
	4004-42	2 mm Straight DeBakey Tips	
	4004-43	1 mm Straight DeBakey Tips	7 3/4" (19.5 cm)
	4004-44	1 mm Straight DeBakey Tips Fluted Handle	
	4004-45	2 mm Straight DeBakey Tips	
	4004-46	2 mm Straight DeBakey Tips Fluted Handle	
	4004-47	2 mm 25° Angled DeBakey Tips	
	4004-45A	2.7 mm Straight DeBakey Tips Wide Serration Handle	
	4004-48	1.5 mm Straight DeBakey Tips	
	4004-50	2 mm Straight DeBakey Tips	9 1/2" (24 cm)
	4004-50A	2.7 mm Straight DeBakey Tips Wide Serration Handle	
	4004-50B	3.2 mm Straight DeBakey Tips Wide Serration Handle	
	4004-52	1.5 mm Straight DeBakey Tips	12" (30.5 cm)
	4004-54	2 mm Straight DeBakey Tips	

Gerald DeBakey Tips | Flat Handle

4004-242



Stainless Steel FORCEPS

SCANLAN®
Gerald DeBakey Forceps
 Flat Handle

Tip (enlarged to show detail)	Cat. No.	Description	Total Length
	4004-240	1 mm Straight DeBakey Tips	7" (18 cm)
	4004-242	1 mm Straight DeBakey Tips	8" (20 cm)

Gerald Serrated Tips | Flat Handle

4004-76

Instrument is shown approximate size



SCANLAN®
Gerald Forceps
 Flat Handle

Tip (enlarged to show detail)	Cat. No.	Description	Total Length
	4004-76	1 mm Straight Serrated Tips	7" (18 cm)
	4004-77	1 mm Straight Cross-Serrated Tips	7 3/4" (19.5 cm)
	4004-79		10" (25.4 cm)
	4004-79-12	1.5 mm Straight Cross-Serrated Tips	12" (30.5cm)

Please Note...
 Each Scanlan instrument is individually handcrafted to provide the surgeon with the highest quality, longest-lasting, precision instrument possible. Reflecting this unique process, all stated dimensions are approximate.

Please check with your Scanlan Representative for Firm Sale status. Custom modifications available upon request.
 For a complete listing of models visit... www.scanlaninternational.com



Gerald 1 x 2 Teeth | Flat Handle



Stainless Steel FORCEPS

4004-238

Instrument is shown approximate size



SCANLAN®
Gerald Forceps
Flat Handle

Tip (enlarged to show detail)	Cat. No.	Description	Total Length
	4004-238	Straight Tips Delicate 1x2 Teeth	7" (18 cm)
	4004-239	Curved Tips Delicate 1x2 Teeth	7" (18 cm)





Adson Forceps 1 x 2 Teeth | Flat Handle

4004-29

Instrument is shown approximate size



SCANLAN®
Adson Forceps
Flat Handle

Tip (enlarged to show detail)	Cat. No.	Description	Total Length
	4004-25	1.2 mm Straight Serrated Tips	4 3/4" (12 cm)
	4004-27	1.2 mm Straight DIAMOND DUST™ Tips	
	4004-28	1.2 mm Straight Platform Tips 1x2 Teeth	
	4004-29	1.2 mm Straight 1x2 Teeth	

Brolí-Adson 1 x 2 Teeth | Flat Handle

4004-31

Instrument is shown approximate size



Stainless Steel FORCEPS

SCANLAN® Brolí-Adson Forceps

Flat Handle

Tip (enlarged to show detail)	Cat. No.	Description	Total Length
	4004-31	1.2 mm Straight Serrated Tips	6" (15 cm)
	4004-35	1.2 mm Straight 1x2 Teeth	

MacIndoe Forceps | Flat Handle

4004-63

Instrument is shown approximate size



SCANLAN® MacIndoe Forceps

Flat Handle

Tip (enlarged to show detail)	Cat. No.	Description	Total Length
	4004-62	2 mm Straight Serrated Tips	6" (15 cm)
	4004-63	Straight Serrated Fine Tips 1x2 Teeth	6 1/4" (15.5 cm)

Please Note...
Each Scanlan instrument is individually handcrafted to provide the surgeon with the highest quality, longest-lasting, precision instrument possible. Reflecting this unique process, all stated dimensions are approximate.

Please check with your Scanlan Representative for Firm Sale status. Custom modifications available upon request.
For a complete listing of models visit... www.scanlaninternational.com



Brophy Tissue Forceps 1 x 2 Teeth | Flat Handle

3190-08

Stainless Steel FORCEPS



SCANLAN®
Brophy Tissue Forceps, Cardiovascular
 Flat Handle

Tip (enlarged to show detail)	Cat. No.	Description	Total Length
	3190-08	Straight Fine 1x2 Teeth	8" (20 cm)

Specialty Suction | Flat Handle

4004-125

Instrument is shown approximate size



SCANLAN®
Suction Forceps
 One Suction Cannula

Tip (enlarged to show detail)	Cat. No.	Description	Total Length
	4004-125	Broli-Adson Forceps 1.2 mm Straight Serrated Tips	6 3/4" (17 cm)
	4004-108	Potts-Smith Forceps Straight Serrated Tips	8" (20 cm)
	4004-124	DeBakey Forceps Straight Tips	8 1/2" (21.5 cm)

Please Note...

Each Scanlan instrument is individually handcrafted to provide the surgeon with the highest quality, longest-lasting, precision instrument possible. Reflecting this unique process, all stated dimensions are approximate.

4004-394

Stainless Steel FORCEPS



SCANLAN®
Resano Valve Forceps
 Flat Handle

Tip (enlarged to show detail)	Cat. No.	Description	Total Length
	4004-394	Multi-Toothed Tip	9" (23 cm)

Please check with your Scanlan Representative for Firm Sale status. Custom modifications available upon request.
 For a complete listing of models visit... www.scanlaninternational.com



Cushing Forceps | Flat Handle

Stainless Steel FORCEPS

4004-56

Instrument is shown approximate size



4004-57




SCANLAN®
Cushing Forceps
 Flat Handle (Gold Handle)

Tip (enlarged to show detail)	Cat. No.	Description	Total Length
	4004-56	Straight Carbon-Inlay Tips Fluted Handle	7" (18 cm)
	4004-57	Straight Carbon-Inlay Tips Serrated Handle	8 1/4" (21 cm)
	4004-59	Straight Carbon-Inlay Tips Serrated Handle	10" (25.4 cm)

Needle Pulling Tissue Forceps | Flat Handle

4004-37



SCANLAN®
DeBakey Needle Pulling Tissue Forceps
 Flat Handle (Gold Handle)

Tip (enlarged to show detail)	Cat. No.	Description	Total Length
	4004-37	2 mm Straight Carbon-Inlay with DeBakey Tips	7 1/2" (19 cm)

3789-07

Stainless Steel FORCEPS



SCANLAN®
Micro Forceps
Bayonet Style | Round Handle

Tip (enlarged to show detail)	Cat. No.	Description	Total Length
	3789-07	1 mm Straight DIAMOND DUST™ Ring Tips	9" (23 cm)
	3789-08	0.8 mm Straight DIAMOND DUST™ Tips	9" (23 cm)
	3789-20		10" (25.4 cm)

3788-08



SCANLAN®
Micro Forceps
Bayonet Style | Round Handle

Tip (enlarged to show detail)	Cat. No.	Description	Total Length
	3788-08	1 mm Straight DIAMOND DUST™ Ring Tips	9" (23 cm)
	3788-10	0.7 mm Straight DIAMOND DUST™ Tips	

Please Note...
Each Scanlan instrument is individually handcrafted to provide the surgeon with the highest quality, longest-lasting, precision instrument possible. Reflecting this unique process, all stated dimensions are approximate.

Please check with your Scanlan Representative for Firm Sale status. Custom modifications available upon request.
For a complete listing of models visit... www.scanlaninternational.com



Bayonet Style

Stainless Steel FORCEPS



3049-92



SCANLAN®

Tumor Grasping Forceps

Bayonet Style | Flat Handle

Tip (enlarged to show detail)	Cat. No.	Description	Total Length
	3049-90	3 mm Concave Serrated Tips	8 3/4" (22 cm)
	3049-92	5 mm Concave Serrated Tips	


4004-039



SCANLAN®

DeBakey Forcep

Bayonet Style | Flat Handle

Tip (enlarged to show detail)	Cat. No.	Description	Total Length
	4004-039	1.5 mm Straight DeBakey Tips	7 3/4" (19.5 cm)
	4004-043		9 1/2" (24 cm)

Please Note...

Each Scanlan instrument is individually handcrafted to provide the surgeon with the highest quality, longest-lasting, precision instrument possible. Reflecting this unique process, all stated dimensions are approximate.

Please check with your Scanlan Representative for Firm Sale status. Custom modifications available upon request.

For a complete listing of models visit... www.scanlaninternational.com